EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	567	548/152.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2006/11/20 18:30
L2	340	548/178.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2006/11/20 18:30
L3	1235	548/217.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2006/11/20 18:30
L9	148	504/267.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2006/11/20 18:32
L10	312	504/270.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2006/11/20 18:33
L11	2091	l1 or l2 or l3 or l9 or l10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2006/11/20 18:33
L12	333	I11 and (insect or insecticide or pesticide or pest pesticidal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON ·	2006/11/20 18:33

STN Structure Search

(Registry / Caplus), 1/20/2006


Broadest Search

N, N1 0,00-1S, S0-1 C, C7

STRUCTURE UPLOADED L7

=> dL7 HAS NO ANSWERS L7

STR



G1 O, S, CH2

G2

G3 O, CH2

G4 H, X, Ak

G5 O, S, N

G6 0,S

Structure attributes must be viewed using STN Express query preparation.

=> s 17 full

FULL SEARCH INITIATED 17:03:07 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED -19187 TO ITERATE

19187 ITERATIONS 100.0% PROCESSED SEARCH TIME: 00.00.01

L8 3 SEA SSS FUL L7

=> fil caplus COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE TOTAL ENTRY SESSION 673.92 674.13

3 ANSWERS

FILE 'CAPLUS' ENTERED AT 17:03:14 ON 20 NOV 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 20 Nov 2006 VOL 145 ISS 22 FILE LAST UPDATED: 19 Nov 2006 (20061119/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> s 18

L9 1 L8

=> d ibib

L9 ANSWER 1 OF 1 ACCESSION NUMBER: DOCUMENT NUMBER: TITLE: INVENTOR(S): PATENT ASSIGNEE(S): SOURCE: DOCUMENT TYPE: LANGUAGE:	1996:4 125:11 Prepar acaric Sakano Hirose Sumito PCT In	57765 CA 4466 ation of ides to, Noriy, Taro: T mmo Chemic tt. Appl., PIXXD2	dihalopropene insecti asu: Matsuo, Sanshiro sushima, Kazunori: Um al Company, Limited,	: Suzuki, Masaya: meda, Kimitoshi
FAMILY ACC. NUM. COU PATENT INFORMATION:	NT: 1			
PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9611909	Al	19960425	WO 1995-JP2080	19951012
			BY, CA, CH, CN, CZ,	
FI. GR.	GE. HU. IS	. JP. KE.	KG, KR, KZ, LK, LR,	LT. LU. LV. MD.
			PL, PT, RO, RU, SD,	
TJ, TM				,,,
	SD, SZ, UG	, AT, BE,	CH, DE, DK, ES, FR,	GB, GR, IE, IT,
			CF, CG, CI, CM, GA,	
SN, TD,				
CA 2202495	AA.	19960425	CA 1995-2202495	19951012
AU 9536728	A1	19960506	AU 1995-36728	19951012
AU 692930	B2	19980618		
EP 785923	A1	19970730	EP 1995-934276	19951012
EP 785923	B1	20000405		
R: AT, BE,	CH, DE, DK	, ES, FR,	GB, GR, IE, IT, LI,	NL, PT, SE
CN 1169147	A	19971231	CN 1995-196682	19951012
CN 1088061	В	20020724		
HU 77014	A2	19980302	HU 1997-2014	19951012
BR 9509315	A	19980526	BR 1995-9315	19951012
AT 191477	E	20000415	AT 1995-934276	19951012
ES 2145301	т3	20000701	ES 1995-934276	19951012
IL 130672	Al	20000716	IL 1995-130672	19951012
IL 130674	A1	20000716	IL 1995-130674	19951012
IL 115597	Al	20000726	IL 1995-115597	19951012
IL 130673	A1	20000726	IL 1995-130673	19951012
RU 2158260	C2	20001027		19951012
CN 1654455	A	20050817	CN 2005-10054414	
ZA 9508652	A _.	19960514	ZA 1995-8652	19951013
JP 09151172	A2	19970610	JP 1995-265986	19951013
JP 3106928	B2	20001106		
50 21672	J A	20020227	EG 1995-854	19951014
	35 .A	19990713	US 1997-809865	19970520
US 6071861	95 A.	20000606	US 1998-203362 US 2000-521119	19981202 20000307
	ος ^{B1}	20010731	GR 2000-521119	20000307
-01/ 5055511	A2	20000929	JP 2000-161945	20000428
JP 2000355582 JP 3835125	B2	20061018	01 7000-101342	20000331
0. 3033173	D4	50001010		

L9 TANSWER 1 OF 1 DOAPL	LUS COPYRIGHT 2006 B2 20030708	ACS	on STN	(Continue	ed)
PRIORITY APPLN. INFO.:	22 20030100	JP	1994-249296	5 A	19941014
		JP	1995-91187	А	19950417
		JP	1995-247922	. A	19950926
		IL	1995-115597	А3	19951012
		WO	1995-JP2080) W	19951012
at the second se		JP	1995-265986	A3	19951013
		US	1997-809865	B3	19970520
		US	1998-203362	. A3	19981202
		US	2000-521119	. АЗ	20000307
		CN	2001-11662	. АЗ	20010412
		US	2001-864227	Р АЗ	20010525
OTHER SOURCE(S):	MARPAT 125:114466		. '		

```
L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN

IT 179102-08-0P 179102-09-1P 179102-16-0P

RL: AGR (Agricultural use); SFN (Synthetic preparation); BIOL (Biological study); PRFP (Preparation) USES (Uses)

(preparation of dihalopropene insecticides and acaricides)

RN 179102-08-0 CAPLUS

CN Benzothiazole, 2-13-[2,6-dichloro-4-[(3,3-dichloro-2-propenyi)oxy]phenoxy]propyl]-6-ethoxy- (9CI) (CA INDEX NAME)
```

Attached thru het ring moiety of poly-cylco ring


L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1

STR



Sub-structure search

2774 ANSWERS

- G1 O, S, CH2
- G2 O, S, CH2, N
- G3 O, CH2
- G4 H, X, Ak
- G5 O, S, N

Structure attributes must be viewed using STN Express query preparation.

=> s l1 full

FULL SEARCH INITIATED 15:21:33 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 27925 TO ITERATE

100.0% PROCESSED 27 SEARCH TIME: 00.00.01

27925 ITERATIONS

SEARCH TIME: 00.04.01

L2 2774 SEA SSS FUL L1

=>

Uploading C:\Program Files\Stnexp\Queries\10510331\2.str

11/20/2006

G1:0, S, CH2

G2:0, S, CH2, N

G3:0,CH2

G4:H, X, Ak

G5:0,S,N

G6:0,S

Match level :

1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 7:CLASS 9:CLASS 10:Atom 11:Atom

12:Atom 13:Atom 14:Atom 15:Atom 20:CLASS 21:CLASS 25:CLASS 26:CLASS

27:CLASS 28:Any

Generic attributes :


28:

Saturation : Unsaturated

Number of Hetero Atoms : 2 or more
Type of Ring System : Polycyclic

L10 STRUCTURE UPLOADED

=> d L10 HAS NO ANSWERS L10 STR



G1 O, S, CH2

G2 O, S, CH2, N

G3 O, CH2

G4 H, X, Ak

G5 O, S, N

G6 0, S

Structure attributes must be viewed using STN Express query preparation.

10/510,331 11/20/2006

=> s 110 full FULL SEARCH INITIATED 15:35:32 FILE 'REGISTRY' FULL SCREEN SEARCH COMPLETED - 17771 TO ITERATE

100.0% PROCESSED 17771 ITERATIONS 3 ANSWERS

SEARCH TIME: 00.00.01

3 SEA SSS FUL L10 L11

=> s 110 full sub=12 FULL SUBSET SEARCH INITIATED 15:35:58 FILE 'REGISTRY' FULL SUBSET SCREEN SEARCH COMPLETED - 2754 TO ITERATE

100.0% PROCESSED 2754 ITERATIONS 3 ANSWERS

SEARCH TIME: 00.00.01

L12 3 SEA SUB=L2 SSS FUL L10

=> fil caplus COST IN U.S. DOLLARS

SINCE FILE TOTAL SESSION ENTRY 462.20 462.41 FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 15:36:02 ON 20 NOV 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 20 Nov 2006 VOL 145 ISS 22 FILE LAST UPDATED: 19 Nov 2006 (20061119/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> s 112

L13 2 L12

=> d ibib abs hitstr 1-2

L13 ANSWER 1 OF 2
ACCESSION NUMBER:
DOCUMENT NUMBER:
141:410815
17ITLE:
2004:964833 CAPLUS
141:410815
17ITLE:
304:364833 CAPLUS
141:410815
17ITLE:
305:364833 CAPLUS
141:410815
17ITLE:
305:364833 CAPLUS
141:410815
17ITLE:
305:364833 CAPLUS
141:410815
17ITLE:
305:364833 CAPLUS
161:364833 CAPLUS
161:36483 CAPLUS
161:3648 LANGUAGE: FAMILY ACC. NUM. COUNT: PATENT INFORMATION: APPLICATION NO. PATENT NO. KIND DATE DATE | APPLICATION N | APPLICATION US 2004-832624 20040427 AU 2004-236195 AU 2004-237745 CA 2004-2523085 CA 2004-2523191 WO 2004-US12886 20040427 20040427 20040427 20040427 20040427 BW, EG, KG, MW, SE, VN, TZ, CH, NL, GQ, AL. CR, GM, LS. OM, TN, GM, KG, FI, TR, A2 20041118 W0 20 A3 20050120 AM, AT, AU, AZ, BA, BB, CU, CZ, DE, DK, DM, DZ, HR, HU, ID, IL, IN, IS, LT, LU, LV, MA, MD, MG, PG, PH, PL, PT, RO, RU, TR, TT, TZ, UA, UG, US, KE, LS, MM, MZ, NA, SD, KZ, MD, RU, TJ, TM, AT, FR, GB, GR, HU, IE, IT, BF, BJ, CF, CG, CI, CM, WO 2004-US12890 20040427 099145
AE, AG, AL,
CN, CO, CR,
GE, GH, GM,
LK, LR, LS,
NO, NZ, OM,
TJ, TM, TN,
BW, GH, GM,
AZ, BY, KG,
EE, ES, FI,
SI, SK, TR,
SN, TD, TG BG, BR, BW, BY, EC, EE, EG, ES, JP, KE, KG, KP, MK, MN, MX, SC, SD, SE, SG, UZ, VC, VN, YU, SL, SZ, TZ, UG, BE, BG, CH, CY, LU, MC, NL, PL, GA, GN, GQ, GW, FI, KR, MZ, SK, ZA, ZM, CZ,

L13 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2006 ACS on STN US 2004-832624 A3 20040427

SN, TD, TG
1620421 A2 20060201 EP 2004-760587 20040427
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
IE, SI, FI, RO, CY, TR, BG, C2, EE, HU, PL, SK
1620401 A2 20060201 EP 2004-760588 20040427

W 20040427 WO 2004-US12886

WO 2004-US12890 W 20040427

WO 2004-US13014 W 20040428

WO 2004-US13023 W 20040428

OTHER SOURCE(S): MARPAT 141-410815

EP 1620421

AB The title compds. (I) [R, R3 = H, halogen, HO, alkyl, cycloalkyl, alkenyl, alkenyl, alkynyl, haloalkyl, alkoxy, haloalkoxy, alkylthio, haloalkylthio, alkylsulfonyl, haloalkylsulfonyl, cyano, nitro, each (un)substituted NH2, etc.; R1, R2 = H, halogen, E = CH2, O, S, (un)substituted NH; G = O, S, CH2O*, (CH2)n (where the asterisk denotes attachment to E : n = 1, 2; provided that E and G are not simultaneously O or S); x = 0, 1; when x = 1, A = O, S(O)p and (un)substituted NH (where p = 0, 1, 2): B = (un)substituted *-(CH2)q-(CH2)q-(CH2)L-(CH2)u-(CH2)v-(CH

1, 2; t = 0, 1; when t = 1, L = CH:CH; 0, S(0)p; OS(0)2, S(0)20, (un)substituted NH, NHSO2, or NHCONH; Si(CH3)2, CO, OC(0), NHCO; ON:CH, etc.); y = 0, 1; when y = 1, D = 0, S(0)p, (un)substituted NH (wherein p

0-2): R6-R9 = H, halogen, alkyl, cycloalkyl, alkenyl, alkynyl, haloalkyl, alkoxy, heloalkoxy, alkylthio, haloalkylthio, alkylsulfonyl, haloalkylsulfonyl, cyano, nitro, aryl, etc: R10, R11 = independently selected from hydrogen, halogen, hydroxy, alkyl, alkoxy, or R10 and R11 taken together are 0 forming CO, OCH2CH2O or SCH2CH2S forming a ketal or

thioketal group, or (un)substituted NOH forming an oxime; M = each (un)substituted "CH2 or "CH2CH2 (where the asterisk indicates attachment to O)], and agriculturally acceptable salts thereof are prepared These compds. provide unexpected insecticidal activity across a spectrum of insect pests combined with desirable phys, properties including improved photostability. In addition, compns. comprising an insecticidally

effective amount of at least one compound of formula I and methods of controlling

L13	ANS	WER	1 OF	2	CAPL	JS (сору	RIGH	r 20	06 A	cs	on ST	N	(C	onti	ued'	ı	
		R:										, IT,						PT.
												, нυ,			,	,	,	,
	BR	2004	0096	84		A		2006				2004-				21	0404	127
		2004				A		2006				2004-					0404	
		1780				A		2006			CN	2004-	8001	1453			0404	
		1780				A		2006			CN	2004-	8001	1454			0404	
		2006		35		A T2		2006				2006-					0404	
		2006				т2		2006				2006-					0404	
		2004				T2 A1		2004			D.I.	2004-	2362	01			0404	
		2004				Al		2004				2004-					0404	
		2522				AA		2004				2004-					00404	
		2523				AA		2004				2004-					00404	
		2004		15		A2		2004				2004-					0404	
		2004				A3		2005				2004	0015	014		-		120
	-	W:								D.D.	DD	, BG,	D.D.	D14	nv	D 7	C.	CI.
		•										, EC,						
												, EC,						
												, MK,						
												, sc,						
												, UZ,						
		KW:										, SL,						
			A2,	BY,	KG,	KZ,	MD,	KU,	тэ,	TM,	AT	, BE,	BG,	CH,	CY,	CZ,	DE,	DK,
												, LU,						
						BF,	BJ,	CF,	CG,	ÇI,	CM	, GA,	GN,	GQ,	GW,	ML,	MK,	NE,
				TD,	TG													
		2004				A2					WO	2004-	US 1 3	023		2	0040	128
	WO	2004				A3		2005										
		W:										, BG,						
												, EC,						
												, JP,						
												, MK,						
												, sc,						
												, UZ,					ZM,	
		RW:										, SL,					ZW,	
												, BE,						
			EE,	ES,	FI,	FR,	GB,	GR,	Hυ,	ΙE,	IT	. LU,	_MC	-WI-5	PL,	PT,	RO,	SE,
						BF,	ВJ,	CF,	CG,	CI,	CM	4	CN.	-GO_	GW,	ML,	MR,	NE,
				TD,	TG					/					`			
		2005	1713	56		A1		2005	0804	_	ŲS	2003-	5103	31	١.	21	00404	128
	ΕP	1620	093			A2		2006	0201	(EΡ	2004- , IT,	7507	69	_	21	00404	128
		R:	AT,	BE,	CH,	DE.	DK,	ES,	FR,	ĆΒ,	GR	, IT,	LI,		NL.	SE,	MC,	PT,
			IE,	SI,	LT,	Lv,	FI,	RO,	MK,	C.	-M	TR	_	τz,	EE,	ΗU,	PL,	sĸ,
HR																		
	EP	1622				A2						2004-					00404	
		R:										, IT,			NL,	SE,	MC,	PT,
					FI,		CY,					, HU,		sĸ				
		2004				Α		2006				2004-					0404	
		2004		95		А		2006				2004-					0040	
		1780				A		2006			CN	2004-	8001	1459			0040	
		1780				A		2006				2004-					0040	
		2006				T2		2006				2006-					0040	
		2006				Т2		2006			JP	2006-	5133	79			0040	
		2006				A T2 T2 A1		2006			US	2005- 2005-	5543	47			00510	
		2006				A1		2006	0504		US	2005-	2920	23			0051	
PRIO	RITY	APP	LN.	INFO	. :						US	2003-	4666	74P		2	00304	130

4/30/03

L13 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2006 ACS on STN insects by applying said compns. to a locus where insects are present or are expected to be present are also disclosed. Thus, a stirred soln. of 0.44 g (0.0011 mol) 4-(4-(2,2-dimethyl-2,3-dihydrobenzo(2,3-b)furan-7-yl)oxy|butoxy|-3,5-dichlorophenol, 0.3 g (0.0015 mol) 1,1,1,3-tetrachloroptepane, and 0.3 g (0.0022 mol) K2CO3 in 25 mL DMF was heated at 80° for apprx.18 h to give, after workup and silica gel chromatog. 0.39 g (3.002 mol) (2.003 mc) (3.002 mol) K2CO3 in 25 mL DMF was heated at 80° for apprx.18 h to give, after workup and silica gel chromatog. 0.39 g (3.002 mol) (2.003 mc) (3.002 mol) (3.003 mc) (3.00

/FILOS-//-9F RL: AGR (Agricultural use); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES

(preparation of (dihalopropenyl) phenylalkyl-substituted dihydrobenzofuran and dihydrobenzopyran derivs. as insecticides) RN 791063-77-9 CAPLUS

791063-77-9 CAPLUS
Spiro[benzofuran-3[2H], 2'-{1,3}dithiolane], 7-[4-[2,6-dichloro-4-[(3,3-dichloro-2-propenyl)oxy]phenoxy]butoxy]-2,2-dimethyl- (9CI) (CA INDEX

3

REFERENCE COUNT:

THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE

FORMAT

L13 ANSWER 2 OF 2
ACCESSION NUMBER:
DOCUMENT NUMBER:
11996:457765 CRPLUS
125:114466
Preparation of dihalopropene insecticides and acaricides
Sakamoto, Noriyasu: Matsuo, Sanshiro: Suzuki, Masaya:
Hirose, Taro: Tsushima, Kazunori: Umeda, Kimitoshi
Sumitomo Chemical Company, Limited, Japan
PATENT ASSIGNEE(S):
SOURCE:
DOCUMENT TYPE:
LANGUAGE:
FAMILY ACC. NUM. COUNT:
1 English
FAMILY ACC. NUM. COUNT:
1 PATENT INFORMATION: DOCUMENT TYPE: LANGUAGE: FAMILY ACC. NUM. COUNT: PATENT INFORMATION:

	TENT I				KIN		DATE			APP	LICAT	ION	NO.		D.	ATE	
	9611										1995-					9951	012
	W:	AL,	AM,	AT,	AU,	BB,	BG,	BR,	BY,	CA	, сн,	CN,	CZ,	DE,	DK,	EE,	ES,
		FI.	GB,	GE,	HU,	IS,	JP.	KE,	KG,	KR	KZ,	LK.	LR,	LT,	LU,	LV,	MD,
		MG,	MK,	MN,	MW,	MX,	NO,	NZ,	PL,	PT	, RO,	RU,	SD,	SE,	SG,	SI,	SK,
		TJ,															
	RW:										, DK,						
						SE,	BF,	ВJ,	CF,	CG	, CI,	CM,	GΑ,	GN,	ML,	MR,	ΝE,
		SN,	TD,	TG													
CA	2202	495			AA		1996	0425		CA	1995~	2202	495		1	9951	012
	9536									AU	1995-	3672	В		1	9951	012
	6929																
	7859				Al		1997			EΡ	1995-	9342	76		1	9951	012
EΡ	7859				Bl		2000										
			ΒE,	CH,							, IE,						
CN	1169	147			А		1997	1231		CN	1995-	1966	82		1	9951	012
CN	1088 7701 9509 1914 2145	061			В		2002	0724							_		
HU	7701	4			A2		1998	0302		HU	1997-	2014			1	9951	012
BR	9509	315			A		1998	0526		BR	1997- 1995- 1995-	9315			1	9951	012
ΑT	1914	77			E		2000	0415		AT	1995-	9342	/6		1	9951	012
ES	2145	301			Т3		2000	0701			1995-						
	1306				AI		2000	0/16		I L	1995-	1306	72			9951	012
	1306				AI		2000	0716		I L	1995- 1995- 1995-	1306	14		- :	3321	012
	1155				AI		2000	0726		11	1993-	1133	77			3331	012
	1306				AI		2000	1027		TF	1995-	1076	13		1	3331	012
	1654				, C2		2000	0917			2005-						
	9508				~		2005 1996 1997 2000	0514		2 h	1005-	9452	****		•	9951	012
	0915				h2		1007	0514		.10	1995- 1995-	2659	86		1	9951	
	3106				B2		2000	1106		01	1,,,,	2000			•	,,,,,	010
	2167				Δ.		2002	0227		FG	1995-	854			1	9951	014
	5922						1999			us	1995- 1997-	8098	65		î	9970	520
	6071						2000			US	1998-	2033	62		1	9981	202
	6268	313			B1		2001			US	1998- 2000-	5211	19		2	0000	307
	3033				Т3		2000			GR	2000-	4009	94		2	0000	42€
TD	2000	2666	82		R 2		2000	1226			2000-					0000	
JΡ	3835	125	-		B2		2006	1018									
CN	1318	535			А		2001	1024		CN	2001-	1166	28		2	0010	412
US	3835 1318 6376	428			В1		2001 2002	0423			2001-				2	0010	525
US	2003	0738	47		Al		2003	0417		US	2002-	8688	8		2	0020	304

L13 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

179102-16-0 CAPLUS
Benzothiazole, 2-[[3-{2,6-dichloro-4-[(3,3-dichloro-2-propenyl}oxy]phenoxy]propyl]thio}- (9CI) (CA INDEX NAME)

L13	ANSWER 2 OF . US 6589914	2 CAPLUS B	COPYRIGHT 2 20030		on STN	(Continue	ed)
PRIO	RITY APPLN. I	NFO.:		JP	1994-249296	5 A	19941014
				JP	1995-91187	A	19950417
				JP	1995-247922	? A	19950926
				IL	1995-115597	7 A3	19951012
				WO	1995-JP2080	. M	19951012
				JP	1995-265986	5 A3	19951013
				us	1997-809865	В3	19970520
				us	1998-203362	2 A3	19981202
				us	2000-521119	Э АЗ	20000307
				CN	2001-116628	B A3	20010412
				US	2001-86422	7 A3	20010525

OTHER SOURCE(S): MARPAT 125:114466

$$R^{1}Z$$
 $R^{1}Z$
 $R^{1}Z$
 $R^{1}Z$
 $R^{1}Z$
 $R^{1}Z$
 $R^{1}Z$
 $R^{1}Z$
 $R^{1}Z$
 $R^{1}Z$

AB The title compds. [I; R1 = (um)substituted alkyl, (un)substituted alkenyl,
etc: R2, R3, R10 = halogen, haloalkyl, alkyl: X = C1, Br; Y = O, S, NH; Z
= O, S, (un)substituted NN; t = O-2], useful for the control of noxious insects, mites, and ticks, are prepared and I-containing formulations

presented.
Thus, 4-(3,3-dichloro-2-propenyloxy)-2,6-dichlorophenol was coupled with 2-(2-hydroxyethyl)thiophene in the presence of PPh3 and diisopropyl azodicarboxylate, producing insecticidal 3,5-dichloro-4-[2-(2-thienyl)ethoxy]-1-(3,3-dichloro-2-propenyloxylbenzene in 62% yield.

IT 179102-15-9P T9102-16-0P
RL: AGR (Agricultural use): SPM (Synthetic preparation): BIOL (Biological study): PREP (Preparation): USES (Uses)
(preparation of dihalopropene insecticides and acaricides)

RN 179102-15-9 CAPLUS

CN 1H-Benzimidazole, 2-[[3-[2,6-dichloro-4-[(3,3-dichloro-2-propenyl)oxylphenoxylpropyl]thio]- (9CI) (CA INDEX NAME)